

Rittal Fiberglass Enclosures



STRONG & SECURE

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

Open up to a world of endless possibilities

LEGACY FIBERGLASS ENCLOSURES

Designed with high protection and versatility in mind, Rittal's expanded line of industrial enclosure solutions now include our Legacy Fiberglass and Polycarbonate series of products.

Whether your application is in a chemical processing plant, an industrial-grade facility or a wastewater treatment plant, these hard-working solutions can provide top-notch protection for virtually any environmental concern. Offered in a range of specifications, the fiberglass enclosures can provide anything from rain and water tight features to fire resistant protection. Our polycarbonate series offers three different attachment options to suit any application and environment with NEMA Type 4X rating. Choose from different materials, latching variations or model sizes for the enclosure that is ideal for your next installation.

Every fiberglass and polycarbonate enclosure is packed with quality and value. For our fiberglass series, the enclosures feature durability and maintenance-free performance of fiberglass-reinforced polyester (FRP). Whichever box you select, you can be assured that the right solution is a Rittal solution!



FIBERGLASS JUNCTION BOXES



Features:

- Lift-off cover
- Stainless steel screw/retention chain
- Molded-in mounting provisions
- Rounded corners
- Overhang cover
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fiberglass - Screw Cover Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FJ604NFSC	7.50 x 5.43 x 4.75	5.84 x 3.85 x 4.45	6.75 x 2
L-FJ606NFSC	7.50 x 7.50 x 4.75	5.72 x 5.72 x 4.45	6.75 x 4
L-FJ806NFSC	9.62 x 7.50 x 4.74	7.73 x 5.74 x 4.45	8.88 x 4
L-FJ1008NFSC	11.62 x 9.41 x 4.25	9.73 x 7.73 x 3.98	10.75 x 6
L-FJ1210NFSC	13.56 x 11.43 x 5.21	11.79 x 9.80 x 4.94	12.75 x 8
L-FJ1412NFSC	15.50 x 13.50 x 6.25	13.53 x 11.55 x 5.94	14.62 x 10
L-FJ1614NFSC	17.53 x 15.46 x 6.23	15.63 x 13.60 x 5.94	16.75 x 12
L-FJ1816NFSC	19.62 x 17.61 x 8.82	17.69 x 15.69 x 8.45	18.88 x 12
L-FJ2016NFSC	22.00 x 17.68 x 8.83	19.72 x 15.72 x 8.45	21.25 x 10



Features:

- Full length stainless steel hinged cover
- Stainless steel screws
- 180° door opening
- Extended depth cover available in 10 x 8 configuration only
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fiberglass - Hinged Screw Cover Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FJ604CHNFSC	7.50 x 5.43 x 4.75	5.84 x 3.85 x 4.45	6.75 x 2
L-FJ606CHNFSC	7.50 x 7.50 x 4.75	5.72 x 5.72 x 4.45	6.75 x 4
L-FJ806CHNFSC	9.62 x 7.50 x 4.74	7.73 x 5.74 x 4.45	8.88 x 4
L-FJ1008CHNFSC	11.62 x 9.41 x 4.25	9.73 x 7.73 x 3.98	10.75 x 6
L-FJ1210CHNFSC	13.56 x 11.43 x 5.21	11.79 x 9.80 x 4.94	12.75 x 8
L-FJ1412CHNFSC	15.50 x 13.50 x 6.25	13.53 x 11.55 x 5.94	14.62 x 10
L-FJ1614CHNFSC	17.53 x 15.46 x 6.23	15.63 x 13.60 x 5.94	16.75 x 12
L-FJ1816CHNFSC	19.62 x 17.61 x 8.82	17.69 x 15.69 x 8.45	18.88 x 12
L-FJ2016CHNFSC	22.00 x 17.68 x 8.83	19.72 x 15.72 x 8.45	21.25 x 10



Features:

- Quick-release clamps with secure loop for padlock provisions (padlock not included)
- Can be lifted and released with ease
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fiberglass - Lockable Quick Release Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FJ604CHNFQ	7.50 x 5.43 x 4.75	5.84 x 3.85 x 4.45	6.75 x 2
L-FJ606CHNFQ	7.50 x 7.50 x 4.75	5.72 x 5.72 x 4.45	6.75 x 4
L-FJ806CHNFQ	9.62 x 7.50 x 4.74	7.73 x 5.74 x 4.45	8.88 x 4
L-FJ1008CHNFQ	11.62 x 9.41 x 4.25	9.73 x 7.73 x 3.98	10.75 x 6
L-FJ1210CHNFQ	13.56 x 11.43 x 5.21	11.79 x 9.80 x 4.94	12.75 x 8
L-FJ1412CHNFQ	15.50 x 13.50 x 6.25	13.53 x 11.55 x 5.94	14.62 x 10
L-FJ1614CHNFQ	17.53 x 15.46 x 6.23	15.63 x 13.60 x 5.94	16.75 x 12
L-FJ1816CHNFQ	19.62 x 17.61 x 8.82	17.69 x 15.69 x 8.45	18.88 x 12
L-FJ2016CHNFQ	22.00 x 17.68 x 8.83	19.72 x 15.72 x 8.45	21.25 x 10

*All dimensions are in inches.



Features:

- Full length stainless steel hinged cover
- Stainless steel screws
- 180° door opening
- Extended depth cover
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fiberglass - Extended Depth Hinged Screw Cover Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FJ604CHNFSCX	7.50 x 5.47 x 6.22	5.84 x 3.85 x 5.95	6.75 x 2
L-FJ606CHNFSCX	7.50 x 7.52 x 6.22	5.72 x 5.72 x 5.95	6.75 x 4
L-FJ806CHNFSCX	9.62 x 7.46 x 6.22	7.73 x 5.74 x 5.95	8.88 x 4
L-FJ1008CHNFSCX	11.62 x 9.37 x 6.61	9.73 x 7.73 x 6.36	10.75 x 6
L-FJ1210CHNFSCX	13.56 x 11.43 x 6.61	11.79 x 9.80 x 6.32	12.75 x 8
L-FJ1412CHNFSCX	15.50 x 13.38 x 7.69	13.53 x 11.55 x 7.45	14.62 x 10
L-FJ1614CHNFSCX	17.53 x 15.43 x 7.71	15.63 x 13.60 x 7.45	16.75 x 12
L-FJ1816CHNFSCX	19.62 x 17.48 x 10.62	17.69 x 15.69 x 10.31	18.88 x 12
L-FJ2016CHNFSCX	22.00 x 17.56 x 10.64	19.72 x 15.72 x 10.33	21.25 x 10



Features:

- Quick-release clamps with secure loop for padlock provisions (padlock not included)
- Can be lifted and released with ease
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fiberglass - Extended Depth Lockable Quick Release Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FJ604CHNFQX	7.50 x 5.47 x 6.22	5.84 x 3.85 x 5.95	6.75 x 2
L-FJ606CHNFQX	7.50 x 7.52 x 6.22	5.72 x 5.72 x 5.95	6.75 x 4
L-FJ806CHNFQX	9.62 x 7.46 x 6.22	7.73 x 5.74 x 5.95	8.88 x 4
L-FJ1008CHNFQX	11.62 x 9.37 x 6.61	9.73 x 7.73 x 6.36	10.75 x 6
L-FJ1210CHNFQX	13.56 x 11.43 x 6.61	11.79 x 9.80 x 6.32	12.75 x 8
L-FJ1412CHNFQX	15.50 x 13.38 x 7.69	13.53 x 11.55 x 7.45	14.62 x 10
L-FJ1614CHNFQX	17.53 x 15.43 x 7.71	15.63 x 13.60 x 7.45	16.75 x 12
L-FJ1816CHNFQX	19.62 x 17.48 x 10.62	17.69 x 15.69 x 10.31	18.88 x 12
L-FJ2016CHNFQX	22.00 x 17.56 x 10.64	19.72 x 15.72 x 10.33	21.25 x 10



Features:

- Scratch and abrasion resistant UVA acrylic flush viewing window
- Quick-release clamps with secure loop for padlock provisions (padlock not included)
- Can be lifted and released with ease
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fiberglass - Flush Viewing Window Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FJ806CHNFQW	9.62 x 7.50 x 4.74	7.73 x 5.74 x 4.45	8.88 x 4
L-FJ1008CHNFQW	11.62 x 9.41 x 4.25	9.73 x 7.73 x 3.98	10.75 x 6
L-FJ1210CHNFQW	13.56 x 11.43 x 5.21	11.79 x 9.80 x 4.94	12.75 x 8
L-FJ1412CHNFQW	15.50 x 13.50 x 6.25	13.53 x 11.55 x 5.94	14.62 x 10
L-FJ1614CHNFQW	17.53 x 15.46 x 6.23	15.63 x 13.60 x 5.94	16.75 x 12
L-FJ1816CHNFQW	19.62 x 17.61 x 8.82	17.69 x 15.69 x 8.45	18.88 x 12
L-FJ2016CHNFQW	22.00 x 17.68 x 8.83	19.72 x 15.72 x 8.45	21.25 x 10

*All dimensions are in inches.



Legacy Fiberglass Junction Boxes - Panel Part No.'s

Enclosure Part Number (beginning with)	Panel Part Numbers
L-FJ604	L-MPL64CS
L-FJ606	L-MPL66CS
L-FJ806	L-MPL86CS
L-FJ1008	L-MPL108CS
L-FJ1210	L-MPL1210CS
L-FJ1412	L-MPL1412CS
L-FJ1614	L-MPL1614CS
L-FJ1816	L-MPL1816CS
L-FJ2016	L-MPL2016CS

FIBERGLASS INSTRUMENTATION BOXES



Features:

- Integrally hinged cover that secures with two screws
- Stainless steel screw recessed from cover
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 12
- UL, cUL and CSA

Legacy Fiberglass - Hinged Screw Cover Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FI707CHNFSC	7.21 x 7.21 x 5.09	6.65 x 6.65 x 4.84	5.71 x 5.71
L-FI907CHNFSC	9.21 x 7.21 x 5.09	8.59 x 6.59 x 4.84	7.71 x 5.71
L-FI1109CHNFSC	11.21 x 9.21 x 6.09	10.59 x 8.59 x 5.84	9.71 x 7.71
L-FI1311CHNFSC	13.21 x 11.21 x 6.59	12.59 x 10.59 x 6.34	11.71 x 9.71
L-FI1513CHNFSC	15.21 x 13.21 x 7.09	14.55 x 12.55 x 6.84	13.71 x 11.71



Features:

- Quick release clamps with secure loop for padlock provisions (padlock not included)
- Can be lifted and released with ease
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 12
- UL, cUL and CSA

Legacy Fiberglass - Lockable Quick Release Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FI707CHNFQ	7.21 x 7.21 x 5.09	6.65 x 6.65 x 4.84	5.71 x 5.71
L-FI907CHNFQ	9.21 x 7.21 x 5.09	8.59 x 6.59 x 4.84	7.71 x 5.71
L-FI1109CHNFQ	11.21 x 9.21 x 6.09	10.59 x 8.59 x 5.84	9.71 x 7.71
L-FI1311CHNFQ	13.21 x 11.21 x 6.59	12.59 x 10.59 x 6.34	11.71 x 9.71
L-FI1513CHNFQ	15.21 x 13.21 x 7.09	14.55 x 12.55 x 6.84	13.71 x 11.71

*All dimensions are in inches.




Features:

- Scratch and abrasion resistant UVA acrylic flush viewing door
- Integrally hinged cover secures with two screws
- Stainless steel screw recessed from cover
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 12
- UL, cUL and CSA

Legacy Fiberglass - Hinged Screw Cover Enclosures With Flush Viewing Door

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
LFI707CHNFSCW	7.21 x 7.21 x 5.09	6.65 x 6.65 x 4.84	5.71 x 5.71
LFI907CHNFSCW	9.21 x 7.21 x 5.09	8.59 x 6.59 x 4.84	7.71 x 5.71
LFI1109CHNFSCW	11.21 x 9.21 x 6.09	10.59 x 8.59 x 5.84	9.71 x 7.71
LFI1311CHNFSCW	13.21 x 11.21 x 6.59	12.59 x 10.59 x 6.34	11.71 x 9.71
LFI1513CHNFSCW	15.21 x 13.21 x 7.09	14.55 x 12.55 x 6.84	13.71 x 11.71



Legacy Fiberglass - Panel Part Numbers

Enclosure Part Number (beginning with)	Panel Part Number
L-FI707	L-MPL66CS
L-FI907	L-MPL86CS
L-FI1109	L-MPL108CS
L-FI1311	L-MPL1210CS
L-FI1513	L-MPL1412CS

FIBERGLASS PUSHBUTTON ENCLOSURES



Features:

- Lift-off cover
- Recessed captive stainless steel screws to hold cover
- Notched key hole design
- Metal grounding strap provided
- External mounting brackets available
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fiberglass - 30mm Pushbutton Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Enclosure Weight
L-F1PB	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F2PB	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F3PB	8.88 x 3.81 x 3.89	8.26 x 3.19 x 3.63	2 lbs.
L-F4PB	11.13 x 3.81 x 3.89	10.51 x 3.19 x 3.63	2 lbs.
L-F5PB	13.78 x 3.63 x 3.14	13.19 x 3.03 x 2.87	2 lbs.

Legacy Fiberglass - 22mm Pushbutton Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Enclosure Weight
L-F1PBGM	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F2PBGM	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F3PBGM	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F4PBGM	8.88 x 3.81 x 3.89	8.26 x 3.19 x 3.63	2 lbs.
L-F5PBGM	11.13 x 3.81 x 3.89	10.51 x 3.19 x 3.63	2 lbs.

*All dimensions are in inches.



Features:

- Lift-off cover
- Continuous polyurethane cover gasket
- Small raised beveled cover flush with enclosure sides
- Recessed captive stainless steel screws
- External mounting brackets available
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fiberglass - Small Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Enclosure Weight
L-FJ332HB	3.72 x 3.63 x 2.95	3.13 x 3.03 x 2.70	1 lbs.
L-FJ532HB	5.97 x 3.63 x 3.14	5.38 x 3.03 x 2.87	1 lbs.
L-FJ644HB	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-FJ844HB	8.88 x 3.81 x 3.89	8.26 x 3.19 x 3.63	2 lbs.
L-FJ1144HB	11.13 x 3.81 x 3.89	10.51 x 3.19 x 3.63	2 lbs.

FIBERGLASS WALLMOUNT ENCLOSURES



Features:

- Rigid body construction and watertight seal
- Foamed-in-place polyurethane gasketing
- Integral mounting brackets
- Molded in panel mounting inserts
- Built-in padlock hasp
- NEMA 4X
- UL, cUL and CSA

Legacy Fiberglass - NEMA 4X Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FW20H1612	22.75 x 16.87 x 13.77	19.70 x 16.04 x 13.24	21.50 x 10.12
L-FW24H2008	27.00 x 21.24 x 9.90	24.05 x 20.39 x 9.25	25.75 x 14.00
L-FW24H2410	27.00 x 25.24 x 11.90	24.05 x 24.39 x 11.25	25.75 x 17.87
L-FW24H2412	27.00 x 25.24 x 13.90	24.05 x 24.39 x 13.25	25.75 x 17.87
L-FW30H2008	32.86 x 20.99 x 9.89	29.90 x 20.14 x 9.23	31.75 x 14.25
L-FW30H2407	33.41 x 26.32 x 8.81	30.46 x 25.47 x 8.12	32.25 x 18.50
L-FW30H2410	33.41 x 26.32 x 11.95	30.46 x 25.47 x 11.27	32.25 x 18.50
L-FW36H3010	39.31 x 32.50 x 12.05	36.31 x 31.69 x 11.36	38.13 x 23.88
L-FW36H3012	39.31 x 32.50 x 14.05	36.31 x 31.69 x 13.36	38.13 x 23.88
L-FW48H3612	51.29 x 36.62 x 13.93	48.33 x 36.22 x 13.25	50.12 x 29.25
L-FW48H3616	51.29 x 36.62 x 17.93	48.33 x 36.22 x 17.25	50.12 x 29.26



Features:

- Rainshield top for water protection
- Rigid body construction and watertight seal
- Integral mounting feet for ease of installation
- Molded in panel mounting inserts
- Built-in padlock hasp
- NEMA 3R
- UL, cUL and CSA

Legacy Fiberglass - NEMA 3R Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-FW20R1612HCR	22.75 x 16.87 x 14.27	19.70 x 16.04 x 13.24	21.50 x 10.12
L-FW24R2008HCR	27.00 x 21.24 x 9.90	24.05 x 20.39 x 9.25	25.75 x 14.00
L-FW24R2410HCR	27.00 x 25.24 x 11.90	24.05 x 24.39 x 11.25	25.75 x 17.87
L-FW30R2410HCR	33.41 x 26.32 x 11.95	30.46 x 25.47 x 11.27	32.25 x 18.50
L-FW30R2412HCR	33.41 x 26.32 x 13.79	30.46 x 25.47 x 13.10	32.25 x 18.50
L-FW36R3010HCR	39.31 x 32.50 x 12.05	36.31 x 31.69 x 11.36	38.13 x 23.88
L-FW36R3012HCR	39.31 x 32.50 x 14.05	36.31 x 31.69 x 13.36	38.13 x 23.88
L-FW48R3612HCR	51.29 x 36.62 x 14.43	48.33 x 36.22 x 13.25	50.12 x 29.25
L-FW48R3616HCR	51.29 x 36.62 x 18.43	48.33 x 36.22 x 17.25	50.12 x 29.26

*All dimensions are in inches.



Features:

- Environmentally sealed disconnect
- Foamed-in-place polyurethane gasketing
- Rigid body construction and watertight seal
- Molded in panel mounting inserts
- Integral mounting brackets for ease of installation
- NEMA 1, 3, 3R, 4X, 12
- UL, cUL and CSA

Legacy Fiberglass - FMD Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-F16HS10	18.75 x 10.96 x 10.25	15.92 x 10.27 x 8.53	17.50 x 7.00
L-F20HS16	22.75 x 16.87 x 11.00	19.70 x 16.04 x 9.24	21.50 x 10.12
L-F24HS24	27.00 x 25.24 x 13.19	24.05 x 24.39 x 11.25	25.75 x 17.87
L-F30HS24	33.41 x 26.32 x 13.19	30.46 x 25.47 x 11.27	32.25 x 18.50
L-F36HS30	39.31 x 32.50 x 13.31	36.31 x 31.69 x 11.36	38.13 x 23.88

Legacy Fiberglass - Wallmount Enclosure Panel Part Numbers

Enclosure Part Number	Panel Part Numbers
L-FW20H1612, L-FW20R1612HCR	L-MPL2016CS
L-FW24H2008, L-FW24R2008HCR	L-MPL2420CS
L-FW24H2410, L-FW24R2410HCR	L-MPL2424CS
L-FW30H2008	L-MPL3020CS
L-FW30H2407, L-FW30H2410, L-FW30R2410HCR, L-FW30R2412HCR	L-MPL3024CS
L-FW36H3010, L-FW36H3012, L-FW36R3010HCR, L-FW36R3012HCR	L-MPL3630CS
L-FW48H3612, L-FW48H3616, L-FW48R3612HCR, L-FW48R3616HCR	L-MPL4836CS

* Disconnect, fuse block, breaker, yoke, switches, or other components are not furnished with enclosure.



FIBERGLASS FREESTANDING ENCLOSURES



Features:

- Rigid body construction and water resistant seal
- Foamed-in-place polyurethane gasketing
- Wallmount or freestanding models available
- Molded in panel mounting inserts or studs
- Eyebolts and crossbar construction
- Built-in padlock hasp
- NEMA 4X
- UL, cUL and CSA

Legacy Fiberglass - Freestanding Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W
L-F60H3612	63.50 x 36.50 x 14.12	60.13 x 36.13 x 13.44	62.25 x 28.50
L-F60H3616	63.50 x 36.50 x 18.12	60.13 x 36.13 x 17.44	62.25 x 28.50
L-F72H2525FS	72.50 x 25.50 x 26.38	72.00 x 25.00 x 25.75	freestanding
L-F72H4925FSDD	72.50 x 49.50 x 26.38	72.00 x 49.00 x 25.75	freestanding

Legacy Fiberglass - Freestanding Enclosures Panel Part Numbers

Enclosure Part Number	Panel Part Number
L-F60H3612	L-MPL6036CS
L-F60H3616	L-MPL6036CS
L-F72H2525FS	L-MPL7225CS
L-F72H4925FSDD	L-MPL7249CS

*All dimensions are in inches.



To learn more about Rittal products call your Brews Sales Rep or visit www.rittal.com/ca-en and click on the **Support section** in the top navigation to access various tools. Resources include a reference library, downloads and information about service requests, service contracts and much more.

Some of the available resources include:



CONFIGURATORS

This resource allows you to select an economically efficient solution for all your needs.

[Go Support > Tools > Configurators](#)

SPARE PARTS

Search for parts and download drawings. Get peace of mind from worldwide availability of individual parts.


[Go Support > Service > Spare Parts](#)



SOFTWARE (RiTherm)

Takes care of the complex calculation of climate control requirements. Available for Android, IOS and Windows.

[Go Support > Software](#)



INDUSTRIAL DIVISION

- A** Acculite Mfg. Inc.
Ace Manufacturing Metals Ltd.
- B** B-Line by Eaton
Beghelli Canada
Brad Harrison Connectors
Brady Canada
Bussmann by Eaton
- C** Cablofil®/PW Tray (Legrand)
Caloritech™ (CCI Thermal)
Canstrut (Thomas & Betts)
Carlo Gavazzi (Canada) Inc
Columbia MBF™
Controlab Inc.
CRC Industrial Chemicals
- D** Duracell®
- E** Eastern Wire and Conduit
Eaton Electrical
Eaton Power Quality (Powerware)
Edwards Signaling
Emergi-lite® (Thomas & Betts)
Ergodyne
ETA Circuit Breakers Ltd.
- F** Federal Signal Canada Ltd.
- G** General Cable Canada Ltd.
- H** Hammond Manufacturing
Hammond Power Solutions Inc.
Hawke International
Hubbell Lighting Products
Hubbell Wiring Devices
- I** Iberville® (Thomas & Betts)
Ideal Industries (Canada) Corp.
Idec Canada, Ltd.
IlSCO of Canada Ltd.
Intermatic
Ipex Electrical Inc.
- J** Juno Lighting Group

- K** Killark (Hubbell Canada LP)
Klein Tools®
- L** Linemaster®
- M** Marr® (Thomas & Betts)
Mcgill (EGS Electrical)
Mersen
Microelectric® (Thomas & Betts)
Myers® Hubs
- N** Norseman™ (CCI Thermal)
- O** Omron Canada Inc.
O-Z Gedney (EGS Electrical Group)
- P** Panduit (Canada) Ltd.
Peerless Electric Co. Ltd.
Pentair Thermal
Powerware (Eaton)
PW Tray, Cablofill®
Pyrotenax™
- R** R. Stahl Ltd.
RAB Design Lighting
Raychem
Rittal Systems Ltd.
Rex Power Magnetics
Roxtec Inc.
Ruffneck™ (CCI Thermal)
- S** Sola HD Canada
Standard Products Inc.
Steinel Canada Inc.
Stelpro Design
- T** TopWorx / Go Switch
- U** UEI Canada
- V** Vynckier Enclosure Systems Inc.
- W** Weidmuller Ltd.
White-Rodgers Controls
Wiegmann
Woodhead (Molex®)

UTILITY DIVISION

- C** Commscope
CG Automation
- D** Duratel
- E** Eaton
Eaton (Electric Vehicle Charging)
Elastimold (Thomas & Betts)
- H** Hendrix Wire & Cable
Hi-Tech (Thomas & Betts)
Homac (Thomas & Betts)
Horstmann Faulted Circuit Indicators
- I** IFD Corporation
IlSCO of Canada, Ltd.
- P** Piedmont Bushings and Insulators
PUPI/Geotek
Plymouth Rubber Company
- R** R&M Plastics Products Ltd.
- S** Sadtem

CONTACT US

Brews carries a complete range of industrial electrical supplies from automation to wiring devices and everything in between!

Brews Supply Hours of Operation:

Calgary: Monday - Friday 7:00am to 5:00pm

Edmonton: Monday - Friday 7:30am to 5:00pm

Industrial Division

Calgary Head Office

12203 40th St. S.E.

Calgary, Alberta, T2Z 4E6

Phone: 403-243-1144

Toll Free: 800-661-6884

Central Alberta Sales Office

Phone: 403-343-6945

Edmonton Office

18003 111th Ave N.W.

Edmonton, Alberta T5S 2P2

Phone: 780-452-3730

Toll Free: 800-661-3730

Grande Prairie Sales Office

Phone: 780-814-8234

Utility Division

Calgary Head Office

12203 40th St. S.E.

Calgary, Alberta, T2Z 4E6

Phone: 403-243-1144

Toll Free: 800-661-6884

Edmonton Office

18003 111th Ave N.W.

Edmonton, Alberta T5S 2P2

Phone: 780-452-3730

Toll Free: 800-661-3730

BREWS SUPPLY.COM



NEED IT FAST?

ASK ABOUT OUR "HOT BUTTON" SERVICE

QUALITY ELECTRICAL PRODUCTS, KNOWLEDGE & SERVICE

BREWS is the industrial Electrical wholesale distributor of choice for people who value service, industry knowledge, product quality and availability. Since opening our doors in 1927, we've built a reputation for having the industry knowledge and complete product range you need to complete projects on time and on budget. This is a direct result of our ongoing commitment to provide superior service to all of our customers, regardless of the size of your order.

WE KNOW ELECTRICAL

At BREWS, we pride ourselves on providing more than products. We also provide you with the knowledge and advice you need to make sure you select the right products. All of our sales people have an electrical background, so when you call us you'll be talking to professional engineers, C.E.T.s, journeyman electricians and industry veterans.

We also have specialists who can answer your questions on areas such as industrial automation and safety. This means when you work with BREWS, you're working with people who have the electrical knowledge to understand your installation and design requirements and offer compressive solutions.

INDUSTRIAL SUPPLIES

Our customers rely on the electrical division of BREWS to provide all of the industrial electrical supplies they need and trust. Our broad range of products makes BREWS your source for all of the products required to complete your project. More importantly our commitment to inventory management means we'll have those products in stock.

If you have ongoing requirements for specific products in regular quantities, we can even ensure a minimum number of units are always in our warehouse. This breadth of products and depth of inventory is why many of our competitors come to BREWS when they can't fill your electrical orders.



Rittal Wallmount and Junction Box Enclosures

Rittal wallmount and junction box enclosures provide the protection, flexibility and value that translates into reliable and lasting solutions for today's demanding environments. Rittal's WM and JB enclosures are focused on meeting needs of the North American market, readily available in all of the most popular sizes, protection categories and configurations used by our customers. Available in stainless steel, carbon steel and fiberglass. Rittal's wallmount and junction boxes are ideal for almost every environment. Combined with a full range of accessories, Rittal's wallmount and junction box enclosures can be tailored to customer specifications to create truly customized solutions.

Visit our website to learn more about these and other Rittal products from Brews Supply at www.brewssupply.com